



TECHNICAL DATA SHEET

THERMAL EMBOSSED FINE LINEN 50 MICRON

Product Description

Bi-axially Oriented Polypropylene Film (BOPP) - Thermal lamination film with **EMBOSSED FINE LINEN** finish - Both side Corona treated - Low melt adhesive coating inside - High initial tear resistance

Typical Properties					
GIF Supplies Thermal Emb F Linen	Property		Unit	Test Method	Value
	Thickness		(µm)	Nikon Digimicro	53-59
	Yield		m ² /kg .	ASTM D 4321	20,8 ± 3%
	Unit Weight		g/m ²	Kern	48,0
	Gloss	B	Gardner	ASTM D 2457 60°	29,2
	Wetting Tension	B	Dynes/cm	ASTM D 2578	36
		A			46
	Application Temperature	A	°C		80-105
A: Adhesive Side B: Outside					

Disclaimer - The above information is indicative only. The results shown are a general guide to the material properties which are subject to change and do not act as a guarantee.



Graphic Image Films Ltd.
 Unit 5, Ridge Way, Crendon Industrial Park,
 Long Crendon, Bucks, HP18 9BF.
 T: 01844 208308, F: 01844 208608
 Email: info@gifsupplies.co.uk
www.gifsupplies.co.uk